


Fire Station with Hose Tower

PCM52221



| | |
|--------------------|------------------------------------|
| 产品编号 PCM52221-0901 | |
| 产品信息概览 | |
| 长宽高尺寸 | 676x465x470 cm |
| 适用年龄段 | 4+ |
| 容纳人数 | 20 |
| 颜色选择 | ● |



The Fire Station with Hose Tower is a play magnet for children with its dramatic theme that inspires imaginative play again and again. The richly varied play activities on all levels of the play unit inspire children to play, move and imagine together, again and again. The socialise-and-explore play features on ground level, with a wealth of tactile moving play

details inspire countless dramatic play scenarios. These tactile play details connect children in play under, around and on the play unit. The elevated level of the platform is reachable by an accessible stairway, and up here the view and wild fireman's pole appeal to dare-devils with its thrilling ride to the ground. Additional egress variation is offered with a

curved slide and banister bars. A multitude of ways in, with climbing wall, stairs and ladders makes the unit richly varied in play challenge and thrill. These are known elements in attracting and keeping children in the playground, and not least, making them visit the playground again and again.



Fire Station with Hose Tower

PCM52221

KOMPAN
Let's play



Rope climber

身体素质：children develop cross coordination when climbing and upper body muscles when pulling themselves upwards in the support ropes. **社交情感**：聚会、休息和社交的场所。



游戏主题

认知能力：鼓励戏剧游戏，刺激儿童语言和交流能力的发展。



Banister bars

身体素质：跳下来时，身体的协调性、手臂和核心肌肉都会得到发展。落地运动可增强骨密度，为童年生活做好准备。 **社交情感**：训练轮流意识和风险意识。



弧形滑梯

身体素质：玩滑梯可以培养空间感和平衡感。此外，在直立向下坐时，核心肌肉也能得到锻炼。 **社交情感**：轮流玩耍时可激发同理心。



Megaphone

社交情感：培养沟通和轮流参与的能力。 **认知能力**：音调的变换会唤起人们的好奇心，激发人们对因果关系的理解。



Turnable Maze Panel

社交情感：cooperating on completing the maze trains turn-taking and cooperation skills. **认知能力**：figuring out how to turn the maze to make the balls fit into the goals trains logical thinking skills. The game character supports rules understanding and strategic thinking. **创造力**：leaving the balls in new positions allow children to leave a mark in the playground.



Fireman's pole

身体素质：当下降时，协调得到支持，同时也锻炼了手臂和核心肌肉。着地时会增强骨密度，这对于儿童早期生活中的骨骼建设至关重要。 **社交情感**：训练轮流意识和风险意识。

Fire Station with Hose Tower

PCM52221




19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的芯。



Main posts with hot dip galvanized steel footing are available in different materials: Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. TexMade posts of 95% post-consumer recycled PE and textile waste.



所有平台底板均由独特设计的低碳铝型材支撑，并具有多种加配选择。灰色模制平台底板由 75% 消费后的海洋可循环 PP 材料制成，具有防滑图案和表面纹理。



载玻片可以选择六种不同的颜色和树形材料：直的或弯曲的一体式成型 PE 载玻片。结合 EcoCore™ 侧面和不锈钢。全不锈钢一体式设计，更多防破坏解决方案。



绳索由防紫外线的 PES 绳股制成，并带有内部钢缆增强件。聚酯包裹的绳股经过感应处理，熔化到每根单独的丝束上，以获得优异的耐磨性和抗撕裂性。



KOMPAN 环保系列产品采用终极环保材料设计，具有最低可能性的二氧化碳排放当量系数。TexMade 立柱，100% 消费后的海洋可循环材料制成的 EcoCore™ 面板和模制 PP 平台底板。

产品编号 PCM52221-0901

安装信息

| | |
|--------|---------------------|
| 最大跌落高度 | 238 cm |
| 安全面积 | 54.5 m ² |
| 安装总时长 | 33.8 |
| 开挖量 | 0.73 m ³ |
| 混凝土使用量 | 0.12 m ³ |
| 标准入地深度 | 90 cm |
| 运输重量 | 1,186 kg |
| 固定选项 | 地表 ✓ 入地 ✓ |

质保信息

| | |
|--------------|------|
| EcoCore HDPE | 终身质保 |
| 立柱 | 10 年 |
| PP 板 | 10 年 |
| 绳网 | 10 年 |
| 承保零部件 | 10 年 |

Sustainability Data

PCM52221



从原材料到成品

CO₂ 排放总量

kg CO₂e

CO₂ 排放量 / 千克

kg CO₂e/kg

回收的原料

%

PCM52221-0901

1,516.44

1.82

70.38

这些因素采用的总体框架为环保产品声明 (EPD), 该声明可量化“产品生命周期的环保信息, 并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时, 对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



