PCT804





The colorful circular Hangout Pods of the FunPoint, Hangout attracts young children and tweens alike. With their soft membrane swaying seats with plenty of room for multiple children to sit or hang, the Hangout Pods welcome children to play or sit and talk again and again. The swaying movements, in addition to being pleasant, also develop the

sense of space and balance when children rock slowly - or quickly - back and forth. The soothing movements make for longer meetings and conversations with friends, negotiating or taking turns on where to sit or hang. This ability to sit for a while makes the FunPoint, Hangout a perfect place to retract from the wildness of the play area.



General Product Information

Dimensions LxWxH 16'4"x14'4"x10'6" Age group 2 - 12 Play capacity (users)

Color options






















Hangout pod

Physical: sitting and lying enjoying the swaying movements stimulate the sense of balance. Social-Emotional: meeting, taking a break is invited. Turn-taking supports the skills necessary to learn how to avoid conflicts.



PCT804






Hangout pod designed with a welded frame of two steel rings which are hot dip galvanized and powder coated. The membrane consist of friction-proof rubberized material of conveyor belt quality with excellent UV resistance.



Powder coated post are made of high quality pre galvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6).



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. PCT804-0901					
Installation Information					
Max. fall height		1'1"			
Safety surfacing area	5	548ft²			
Total installation time	11.0 h	nours			
Excavation volume	5.7	78yd³			
Concrete volume		0yd³			
Footing depth (standard)		2'11"			
Shipment weight	1005lbs				
Anchoring options	In-ground 🗸				
	Surface	~			
Warranty Information					
Hot dip galvanized steel	Lifetime				
Membrane	2 \	⁄ears			
Painted toplayer	10 Years				
Spare Parts Availability	10 Years				

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	3	1
Required	0	2	1



Sustainability Data

PCT804





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
PCT804-0901	854.39	2.51	50.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





PCT804



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW