KPL4007








General Product Information

Dimensions LxWxH 1054x394x402 cm
Age group 4+
Play capacity (users) 23
Colour options





ways of climbing and crawling up train the child's proprioception and body awareness, as well as their cross-coordination. This again has a positive effect on for instance reading skills and spatial awareness. The big climbing net and the tunnel offer each their challenge of climbing and creeping, which trains a rich series of body movements that all result in increased movement skills and body

awareness. The tall tunnel slide and the lower open slide are popular destinations. Apart from the thrill of sliding, they additionally stimulate children's spatial awareness, trunk stability and sense of balance. These motor skills all combine into increased movement mastery and movement security, which will benefit children in a wide range of life situations.



KPL4007





Tube slide

Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: thrill when going down fast. Empathy stimulated by turn-taking. Cognitive: young children train their understanding of space, speed and distances when sliding down.









Maze panel

Social-Emotional: communication and cooperation exploring the maze with friends. Cognitive: stimulates memory when memorising maze routes.









Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each other.



Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.



Climbing net

Physical: children develop cross-body coordination and muscle strength when climbing. The big mesh supports proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children to sit together and talk.



Wackle bridge

Physical: sense of balance and space, and training of posture. Important for being able to sit still. Social-Emotional: cooperation, turntaking and friendly competition on the plates.







Climbing wall

Physical: develops children's cross coordination, eye-hand coordination, and muscle strength when climbing. Social-Emotional: two-sided climb invites cooperation.

KPL4007



178 cm

67.5 m²

2.24 m³

1.01 m³


90 cm

945 kg

26.2



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Options available for the main tower posts consist of either pine wood or aluminium which both come equipped with hot-dip galvanised steel footings. The steel footings elevate the posts 20mm from ground level to avoid contact with surfacing material.



Floors and panel activities are manufactured from high-pressure laminate HPL with a thickness 17.8mm and non-skid surface texture.



In-groundWarranty InformationAluminum15 yearsEcoCore HDPELifetimeHollow PE parts10 yearsPinewood10 yearsSpare Parts Guarantee10 years



The large hollow components are made of 100% recyclable PE. The roof displayed is moulded in one piece with minimum 5,5mm wall thickness to ensure high durability in all climates around the world.



The slides can be chosen in six different colors and three materials: Straight or curved one-piece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.

Climbing nets are made of UV-stabilised PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope, which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.

Sustainability Data

KPL4007





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KPL400722-0902	1,861.45	2.47	33.18

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The $\mathrm{CO_2}$ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000









* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW