MSC6416





Item no. MSC641600-3717P

General Product Information

Dimensions LxWxH 508x376x288 cm

Age group 2+

Play capacity (users) 19

Colour options



The Palace and Fortress theme offers 4 very different activity spaces and access points. While the world looks cheerful and easy under the eyes of the capricorn outside the palace, a gloomy lion watches the entrance to the prison on the opposite side, where the entrance is kept in the dark behind the modular slide. If held prisoner here you would need a good

escape plan and friends to help. On the other side the princess can stand on the balcony and take a good look around her kingdom. While the climbing wall on one side is a challenging access for the more fearless climbers, physically impaired children can get access to the balcony and the slide via the wide staircasewhere a pair of friendly birds welcome

every player at the ground level. The staircase is in compliance with the A regulations, offering a transition platform, where children can leave their wheelchair or walker and make their way to the top.





MSC6416





Balcony Social-Emotional: the balcony invites meetings and interaction with people on ground level.










Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.











Curved climbing wall

Physical: children develop their cross-body coordination, proprioception and leg, arm and hand strength. Climbing on a curved surface is an extra challenge to muscles.



Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.



Physical: crawling trough the possible

play for two or three children.

openings trains spatial awareness. Social-

Emotional: the enclosed space invites social











Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.

MSC6416



10 years

10 years



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.




Installation Information Max. fall height 120 cm Safety surfacing area 37.0 m² Total installation time 22.1 Excavation volume 0.87 m^3 Concrete volume 0.00 m^3 Footing depth (standard) 90 cm Shipment weight 754 kg In-ground Anchoring options Surface **Warranty Information** FcoCore HDPF Lifetime Hot dip galvanised steel Lifetime HPL decks 15 years


Item no. MSC641600-3717P



Molded PE slides made with 33% postconsumer materials in different colors in onepiece design with a wall thickness of minimum 5mm. The PE is tested for UV stability and has excellent impact strength and it is usable within a large temperature span.



Ropes are made of UV-stabilized PP rope strands with inner steel cable reinforcement to obtain good wear and tear resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Ropes & nets

Spare parts guaranteed

Sustainability Data

MSC6416





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC641600-3717P	1,296.10	2.15	53.34

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC6416



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW