NRO4001





General Product Information


Dimensions LxWxH 22'0"x17'4"x9'3"

Age group 2 - 5

Play capacity (users) 26

Color options





toddlers can loop around a variety of manipulative, themed play panels, using their gross and fine motor skills and muscles while doing so. The house themed unit and the manipulative details additionally support emerging dramatic play in the toddlers. The scale of the Little Turtle's Town is perfectly shaped for toddlers. The bridge links offer balancing, bouncing, and crawling experiences as well as developing spatial relationships, the concept of being higher than and lower than,

above and below. This aids spatial awareness that supports mathematical understanding. The lovely slide is connected gently with the transfer platform, allowing for easy assistance for less mobile users. The transparency of the Little Turtle's Town works wonders for the overall communication and cooperation with all friends across and from inside to outside, supporting taking turns and cooperation skills. Everyone can participate in play here thanks to the openness in design.



NRO4001





### Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down guickly.











#### Gearshift panel

Social-Emotional: cooperation, turn-taking, sharing. Cognitive: suggests a theme and supports dramatic play, which stimulates language skills. Communication skills when explaining functionalities. Creative: changing the position of the gear, leaving your mark.



Window with curtains



Physical: tactile stimulation supports sensory


skills, when children explore characteristics of











the materials. Social-Emotional: social interaction between inside and outside, supporting taking turns and cooperation skills. Cognitive: understanding object permanence when playing, e.g. peek-a-boo. Dramatic play support, encouraging language skills. Creative: leaving a mark, deciding how to

Physical: the children crawl through the tunnel, developing motor skills such as crossbody coordination and proprioception. Social-Emotional: turn-taking when passing each



Balance beam

Physical: trains the sense of balance,

make it possible to navigate the world

turn-taking skills and negotiation when

seated rest and exchange.

fundamental for all other motor skills that

confidently and securely. Social-Emotional:

crossing each other on the beam. Room for a





#### Gear wheels

Social-Emotional: cooperation skills and taking turns are developed when turning the gearing wheel. Cognitive: cause and effect understanding, and logical thinking are supported.







#### Crawl-through hole

Physical: the hole allows for climbing and crawling through, developing cross coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when passing one another.

place curtains.

NRO4001



1'11"

763ft<sup>2</sup>

4.36yd<sup>3</sup> 0yd<sup>3</sup>

4487lbs

Surface

45.5

3'3"




All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).




The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for colored components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3



Warranty Information			
EcoCore HDPE	Lifetime		
Hot dip galvanized steel	Lifetime		
Robinia Wood	10 Years		
Spare Parts Availability	10 Years		
Stainless steel components	Lifetime		



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



Robinia products are available in three different wood treatment options: untreated Robinia wood or brown painted with a pigment that maintains the wood color and colored version with paint of selected components.

Elevated activities 9	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	9	3	1
Required	5	3	3

ASTM F1487 compliant **Sustainability Data** 

NRO4001





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO4001-1021	572.27	0.32	5.19

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000


NRO4001



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW