

Item no. PCM202021-0901				
General Product Information				
Dimensions LxWxH	529x493x280 cm			
Age group	2+			
Play capacity (users)	24			
Colour options				



This fantastic play structure will inspire young children to play again and again, stimulating their physical, social and thinking skills. Their muscle and motor skills come in full use, climbing to the top and sliding or gliding in a rotating movement to the ground. The U-net provides a swaying, climbing opportunity for all. It can be used to get from one play tower to the next or can be used as a rest point hammock. The net takes cross-coordination skills, that enhance children's abilities to use both sides of their brain. This supports the internal structures that enable reading and thinking. The double slide and single slide support social interaction when children slide together. Under deck, a wealth of manipulative, musical and number

play panels stimulate explorative and dramatic play. The panels support logical thinking skills and cooperation.



PCM202021

PCM202021





U-net Physical: the bridge sways gently, training the sense of balance and space when the child lays, crawls, or balances in the net. These motor skills in combination are great for learning how to navigate the body in space. Social-Emotional: children swaying together on the net experience their own and others' movements. This spurs cooperation and consideration, e.g., when passing others.





Xylophone music panel

Social-Emotional: invites social interaction and co-creation for more children, on both sides. Cognitive: understanding of cause and effect when striking tubes and creating sound. Creative: the creation of different intensity and tonality stimulates creative skills.



Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.



Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.



Turn disk and sound creator

Social-Emotional: spurs group play and conversations with its two-sidedness. Cognitive: logical thinking, understanding numeracy. Creative: creating sounds when the spheres run through grooves.



Clock panel

Social-Emotional: cooperation with others on turning wheel, turn-taking, communicating with children on the other side. Cognitive: learning about numeracy and time in a tangible way. Creative: leaving your mark on the playground when setting clock differently.



Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down quickly.



PCM202021



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.




All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface.

Item no. PCM202021-0901					
Installation Information					
Max. fall height	20	04 cm			
Safety surfacing area	47	7.5 m²			
Total installation time		23.4			
Excavation volume	0.	69 m³			
Concrete volume	0.	00 m³			
Footing depth (standard)	ł	85 cm			
Shipment weight	7	'97 kg			
Anchoring options	Surface	~			
	In-ground	~			
Warranty Information					
EcoCore HDPE	Lit	fetime			
Post	10	years			
PP Decks	10	years			
Ropes & nets	10	years			
Spare parts guaranteed	10	years			



The slides can be chosen in six different colors and three materials: Straight or curved onepiece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.



The stainless-steel activities are made of highquality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCoreTM panels of 95% post-consumer recycled waste and molded PP decks.



Sustainability Data

PCM202021




C	Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
		kg CO2e	kg CO₂e/kg	%
	PCM202021-0951	1,120.97	1.74	65.97
	PCM202021-0901	1,223.35	2.11	59.38

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




www.bureauveritas.dk +45 7731 1000


By Bureau Veritas HSE

PCM202021

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





PCM202021

Click to see TOP VIEW



