
NRO412





This simple hut invites younger children who want to learn and play. The openness allows for a flow of children in and around the space, which is great for social activities and games across the small side walls. Imagination is developed with the simple design, as the hut provides numerous options for inventiveness. The natural Robinia timber provides an organic

structure, that can either blend into or stand out from your surrounds. Children can touch and feel the timber, observing how nature inspiration interacts with the built environment. This hut can also be placed close to other structures due to it's ground level play.





















Theme
Cognitive: suggests a theme and supports
dramatic play, which stimulates language and
communication skills.



NRO412





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for coloured components is water based, which is environmentally friendly and has excellent UV resistance. The paint complies with Australian Standards.



Max. fall height 0 cm Safety surfacing area 15.2 m² Total installation time 4.8 Excavation volume 0.50 m^3

Concrete volume 0.00 m³

Item no. NRO412-1021 **Installation Information**

Footing depth (standard) 100 cm Shipment weight 240 kg

Anchoring options In-ground

Warranty Information EcoCore HDPE Lifetime Galvanised Steel Lifetime Robinia Wood 15 years 10 years Spare Parts Guarantee Stainless Steel Lifetime Components



The playhouses are available with either, a floor

on the inside of the house or, with a floor on the

outside which creates a porch.



There are multiple footing options for all products: Surface anchoring with steel footings and expansion bolts, or wood in-ground or steel in-ground footings.





Robinia products are available in three different wood treatment options; untreated Robinia wood or brown painted with a pigment that maintains the wood colour and coloured version with paint of selected components.



Sustainability Data

NRO412





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO412-1021	36.69	0.19	1.17


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW