# **Butterfly Seesaw**

NRO108



Item no. NRO108-0401		
General Product Information		
Dimensions LxWxH	160x140x70 cm	
Age group	3+	
Play capacity (users)	4	
Color options		



The Butterfly Seesaw takes the classic seesawing to new social heights: thanks to the springs, unequal numbers can play together. Children can even play this alone. That allows for varied play, a feature that will attract children again and again, for shorter or longer try-outs. The sense of space and rhythm and leg and arm strength of children is trained when they rock and seesaw. The two varied surfaces, a flat horizontal and a rounded horizontal, allows for more body positions: sitting, kneeling, lying. This accommodates a wider span of users, both age and ability-wise. Rocking trains the senses of balance and space. These are both crucial for body confidence, e.g. in avoiding falling. Doing this more children together develops important social-emotional skills such as turn- taking and cooperation.



# **Butterfly Seesaw**

NRO108





Handhold Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.





Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.



#### Rocking spring


Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

### **Butterfly Seesaw**




NRO108









The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Item no. NRO108-0401		
Installation Information		
Max. fall height	9	4 cm
Safety surfacing area	9	.5 m²
Total installation time		4.0
Excavation volume	0.3	32 m³
Concrete volume	0.0	)0 m³
Footing depth (standard)	4	1 cm
Shipment weight	13	30 kg
Anchoring options	In-ground	~
	Surface	~



# **Sustainability Data**

Cradle to Gate A1-A3

NRO108-0401

**NRO108** 



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

172.83

CO2e/kg

kg CO<sub>2</sub>e/kg

1.58

Recycled


materials

%

16.26




NRO108





\* Max fall height | \*\* Total height





NRO108

Click to see TOP VIEW

5 / 06/28/2024