### Rumba Bench, Curved, 30°

PAR1003



Item no. PAR1003-0021	
General Product Information	n
Dimensions LxWxH Age group	5'9"x2'7"x1'5"
Play capacity (users)	2
Color options	





RUMBA comes with endless possibilities to realize seating in customized design for all outdoor environments. RUMBA is the most flexible way of marrying seating solutions to the environment, in perfect harmony - geometry meets geography. Built around simple circles and curves, they can be adapted to provide custom-built twists and turns. The standard available benches and tables can be dressed up with back support, armrests, tables etc. and linked together into tailored solutions for the individual location.

1 / 09/30/2024

# Rumba Bench, Curved, 30°



PAR1003



Boards are made of ash wood from sustainable European sources. The ash wood is thermo treated according to CEN/TS 15679, durability class 2 according EN350-2.




Bench is made of pine wood post pressure impregnated class AB with Tanalith E3475 according to EN335.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.


Item no. PAR1003-0021			
Installation Information			
Total installation time		1.0	
Excavation volume		0yd³	
Concrete volume		0yd³	
Footing depth (standard)		0'0"	
Shipment weight	11	18lbs	
Anchoring options	Surface	~	
5 1			
5 1	In-ground	~	
Warranty Inform	U	~	
	nation	✓ ∕ears	
Warranty Inform	nation 10 Y		
Warranty Inform	nation 10 Y Life	⁄ears	
Warranty Inform Ashwood Hot dip galvanized steel	nation 10 โ Life 10 โ	⁄ears etime	



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.



KOMPAN outdoor furniture is available for surface and in-ground installation. Surface installation involves anchoring to the base layer, and in-ground installation is direct in-ground or additional hot-dip galvanized steel brackets.



The standard available benches and tables can be dressed up with back support, armrests, tables etc. and linked together into tailored solutions for the individual location.



# **Sustainability Data**

Cradle to Gate A1-A3

PAR1003-0021

PAR1003



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Park



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

11111111111

**Total CO2** 

emission

kg CO<sub>2</sub>e

64.91

Recycled

materials

%

29.10

CO<sub>2</sub>e/kg

kg CO<sub>2</sub>e/kg

1.58