
NRO430






What child doesn't want to have a real castle to visit and play on? This is a huge three-towered design for young princes, princesses, knights, and would-be bandits! The Large Tall Castle allows for a range of ages to play together and invites the whole family for a royal play day. It has ground and elevated level play areas, barred windows, and cannons, just like a real

castle. There is the climbing wall, rope accesses, net bridges and climbers for adventurous play, and two giant tube slides. Be lost in a medieval world within this colourful, organic timber structure. The Robinia timber is durable, natural and gives children a nature inspired theme that can blend into, or stand out from your surrounding landscape.







NRO430





Height Social-Emotional: children develop courage and self-regulation when being up high. This positively affects self-confidence.





Hammock

Physical: coordination and sense of balance when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turn-



Long tube slide Physical: sliding develops spatial awareness and the sense of balance. Social-Emotional: height ensures extra speed and thrill. Stimulates empathy by turn-taking and consideration of others.





Physical: supports cross coordination and

Emotional: the inclination makes climbing

feel secure, especially for younger children.

on top ease entry into platform. Social-

leg, arm and hand strength. The hand-holds





Physical: being up high in a transparent net develop the sense of space and balance, which is fundamental in navigating the world securely. Social-Emotional: children develop courage, self-confidence, consideration and turn-taking. Passing other children takes cooperation and teaches turn-taking skills.



Draw bridge area

in entrance.



Physical: varied rope rails offer levelled

Emotional: the two rope rails support

cooperation, parallel play and positive

competition by offering varied difficulty levels



challenge of balance and spatial awareness as well as arm, leg and core muscles. Social-

Physical: supports coordination going down, sense of balance when rotating and arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.





NRO430





All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water-based, which is environmentally friendly and has excellent UV resistance. The paint is compliant with Australian Standards.



The Robinia products come in a number of standard colour options. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Item no. NRO430-1222

Installation Information

Max. fall height 300 cm Safety surfacing area 204.8 m² Total installation time 572.1 Excavation volume 0.00 m^3 Concrete volume 0.00 m^3 Footing depth (standard) 120 cm Shipment weight 21,643 kg Anchoring options In-ground

Warranty Information

Galvanised Steel Lifetime Robinia Wood 15 years Ropes & Nets 10 years 10 years Spare Parts Guarantee Stainless Steel Slide 10 years



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



Curved and straight stainless-steel tunnel slides are supported by multiple steel rods to a centre steel post. KOMPAN tunnel slides have been designed with a perfect curve and inclination for a playful ride.



The wireframe tunnel is made from hot-dip galvanised high-quality steel. Corocord 16mm ropes are special 'Hercules'-type with galvanised four-stranded steel wires and a steel wire core. Each strand is tightly wrapped with PES yarn, which is then melted onto each individual strand.

AS 4685 compliant

Sustainability Data

NRO430





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO430-1222	24,716.00	1.28	12.10

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200ml

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRO430



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW