
Bench S 60cm

FRE3013



Item no. FRE3013-3417		
General Product Information		
Dimensions LxWxH	147x96x61 cm	
Age group	3+	
Play capacity (users)	-	
Colour options		






The curved benches can be installed in different heights and next to each other to create a tribune. The benches are splended meeting points to socialise with friends and look at sport activities at the same time.

Bench S 60cm



FRE3013







The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

The large components are made of 100% recyclable PE made from 33% post consumer materials. Molded in one piece with minimum 5mm wall thickness to ensure high durability in all climates around the world.

KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

Item no. FRE3013-3417		
Installation Information		
Max. fall height		0 cm
Safety surfacing area	0.	0 m²
Total installation time		1.9
Excavation volume	0.2	9 m³
Concrete volume	0.10 m³	
Footing depth (standard)	60 cm	
Shipment weight	3	32 kg
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Hollow PE parts	10 y	ears
Hot dip galvanised steel	Lifetime	
Spare parts guaranteed	10 years	

Sustainability Data

Cradle to Gate A1-A3

FRE3013-3417

FRE3013



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle

Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

73.13

CO2e/kg

kg CO₂e/kg

2.28

Recycled

materials

%


34.61

11000 000000


3 / 05/23/2024



FRE3013



KOMPAN Let's play



* Max fall height | ** Total height