

# Anita Picnic - HPL

PAR1405



Item no. PAR1405-0001

## General Product Information

|                       |   |
|-----------------------|---|
| Dimensions LxWxH      | 4'11" x 4'11" x 2'4"  |
| Age group             |   |
| Play capacity (users) |   |
| Color options         |  |



Outdoor Furniture plays an essential role in our communities by adding an inviting and social atmosphere, a place to meet, socialise or rest. Anita is classic and comfortable park furniture that invites citizens to take a seat and relax. They blend into and enhance public areas like parks and playgrounds etc. Anita Picnic Blue HPL comes in two sizes with one aim; an

opportunity for adults or children to make that al fresco moment special.

# Anita Picnic - HPL

PAR1405



All boards are made of High Pressure Laminate HPL with a .7 in. thickness according to EN 438-6 and has a nonskid surface texture. The multilayer construction makes the boards durable and suited for outdoor use, with a high resistance to impacts, scratches, fire, water and humidity, as well as high UV stability.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.



The benches and tables can be combined in multiple settings by choosing individual products or assembled into larger solutions. See catalog pages for more inspiration.



The hardware is made of stainless steel or galvanized steel to ensure a high corrosion-resistant, durable connection.

Item no. PAR1405-0001

## Installation Information

|                          |                          |
|--------------------------|--------------------------|
| Total installation time  | 1.4                      |
| Excavation volume        | 0yd <sup>3</sup>         |
| Concrete volume          | 0yd <sup>3</sup>         |
| Footing depth (standard) | 0'0"                     |
| Shipment weight          | 210lbs                   |
| Anchoring options        | Surface ✓<br>In-ground ✓ |

## Warranty Information

|                            |          |
|----------------------------|----------|
| Hot dip galvanized steel   | Lifetime |
| HPL                        | 15 Years |
| Spare Parts Availability   | 10 Years |
| Stainless steel components | Lifetime |

# Sustainability Data

PAR1405




| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| PAR1405-0001         | 173.59                         | 2.38                    | 20.69              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000

