MSC541803





Item no. MSC541803-3417P

General Product Information

Dimensions LxWxH 180x248x131 cm
Age group 6m+
Play capacity (users) 16
Color options














their fingers, hands, and arms. This play gives important input to the senses, and strengthens motor planning as well as fine motor skills. The double sandpit has ample room for many young children to play. The manipulatable objects and the window space enhance the play experiences. This structure is not only attractive but has many benefits for young

children who stay, play, and develop.





MSC541803





Theme

Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.







Cognitive: sand play trains the sense of touch and helps children to understand the characteristics of different materials and their uses. Sand can be sieved when dry and shaped when wet.







Desk with sieve Social-Emotional: children can gather and store materials, cooperate and take a break together. Creative: sand can be shifted through the sieve, for understanding of cause and effect and object permanence.







Social-Emotional: trains cooperation and turn-taking as children put materials into the funnel. Cognitive: the passing of materials through funnels supports the children's logical thinking and for younger children the understanding of object permanence: that materials don't vanish but run through at the other end.



Sand scoop



Cognitive: logical thinking: cause and effect

grooves. Creative: leave a mark and place

sounds when the scoop runs through groove.

the scoop at different positions. Creating

understanding when running scoops in




Social-Emotional: gathering, cooperating or taking a break from play - all train social skills.



MSC541803



Surface



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Play activities like the Funnel are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength and is UV stabilised.

Item no. MSC541803-3417P				
Installation Information				
Max. fall height	(cm)		
Safety surfacing area	24.0) m²		
Total installation time		9.1		
Excavation volume	0.40) m³		
Concrete volume	0.00) m³		
Footing depth (standard)	60	cm)		
Shipment weight	23	2 kg		
Anchoring options	In-ground	•		



Sand Pipe is made with 33% post-consumer materials in different colors in one-piece design with a wall thickness of minimum 5mm. Material in accordance with the European Standard EN 71-3 and tested for UV stability.



Play spheres are made of PP. PP has good wearing and impact resistance.



Sand strainer is made of high-quality stainless steel to ensure durability of the product.



Sustainability Data

MSC541803





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg Recycle material	
	kg CO₂e	kg CO₂e/kg	%
MSC541803-3417P	186.07	1.50	78.58


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

miss

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





MSC541803



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW