

# PlayBox™, Outdoor, S33


PBO200101



Item no. PBO200101-0002

### General Product Information

|                       |                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------|
| Dimensions LxWxH      | 412x476x342 cm                                                                      |
| Age group             | 3+                                                                                  |
| Play capacity (users) | 14                                                                                  |
| Colour options        |  |



The enclosed Outdoor PlayBox offers fun and varied play meandering across levels and platforms, providing children with muscle and motor skill training as well as social connection and cognitive stimuli. The circular openings invite children into the ground level of the structure, which has a spacious mid area with three nice stools for a break as well as a mirror play panel which offers explorative play and

appeals to individual or small group activity. From the lower level, a climbing wall leads up to the next platforms with rollers, and an intriguing strap-covered opening leads to the mouth of the slide. This opening makes possible the looping back up the platforms for another slide, without leaving the PlayBox. Children have a choice of going straight up to the wild slide via climbing walls, or taking a

break on the elevated level: flap doors lead to a fun mid section with horizontal rollers that invite balancing and offer tactile stimulation. This space also features a Tic-Tac-Toe-panel inviting small group games. All in all, there is plenty of physical exercise and fun togetherness offered in the PBO200101.



# PlayBox™, Outdoor, S33

PBO200101

KOMPAN®




## Tic-tac-toe panel

**Social-Emotional:** stimulates communication and turn-taking skills. **Cognitive:** support rules understanding, strategic thinking. **Creative:** leaving marks when tumblers are left in new positions.



## Play shapes

**Physical:** balancing on the play shapes and walking or crawling from one to another trains cross-coordination and the sense of balance, which benefits body and posture control. **Social-Emotional:** invites socializing and cooperation. Allows for a break with friends.



## HDPE steps

**Physical:** climbing the step trains cross coordination and develops the sense of balance, which is fundamental in navigating the world securely. **Social-Emotional:** passing others on the way supports consideration and turn-taking skills.



## Mirror

**Social-Emotional:** understanding of individuality and self expression. **Cognitive:** stimulates dramatic play and thus language and communication development.



## Roller horizontal

**Physical:** The Horizontal Roll challenges children's balance and coordination as they crawl, push or roll over them. It is a full-body coordination challenge that develops muscle and motor skills. **Social-Emotional:** socializing and turn-taking when deciding who should go next.



## Membrane triangle

**Social-Emotional:** cooperation and turn-taking when playing with friends on the other side. **Cognitive:** understanding of object permanence: things can disappear without being gone forever – a thrilling insight.



## Tube slide

**Physical:** sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** thrill when going down fast. Empathy stimulated by turn-taking. **Cognitive:** young children train their understanding of space, speed and distances when sliding down quickly.

# PlayBox™, Outdoor, S33

PBO200101



Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.



Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.




Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.

|                          |            |
|--------------------------|------------|
| Item no. PBO200101-0002  |            |
| Installation Information |            |
| Max. fall height         | 100 cm     |
| Safety surfacing area    | 0.0 m²     |
| Total installation time  | 64.4 hours |
| Excavation volume        | 0.00 m³    |
| Concrete volume          | 0.00 m³    |
| Footing depth (standard) | 0 cm       |
| Shipment weight          | 1,032 kg   |
| Anchoring options        | Surface ✓  |
| Warranty Information     |            |
| PP Decks                 | 10 years   |
| Ropes & nets             | 10 years   |
| HPL Panels               | 5 years    |
| Soft Activities          | 5 years    |
| Spare parts guaranteed   | 10 years   |



UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.

**EN  
1176**  
compliant



## Independent review certificate

Kompan A/S  
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO<sub>2</sub>e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO<sub>2</sub>e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO<sub>2</sub>e.

### Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data\_updated emissions factors\_2025\_V2" and "Emissions factors, EPD's and ecoinvent 3.11\_2025" was also reviewed and approved.

### Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO<sub>2</sub>e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

**Note:** This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan\_Verification report 2025, 28-10-2025  
Date of certificate: 29-10-2025  
Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature: 



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled material |
|----------------------|--------------------------------|-------------------------|-------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                 |
| PBO200101-0002       | 4,432.32                       | 4.56                    | 23.51             |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


# PlayBox™, Outdoor, S33

PBO200101




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



PBO200101  
\*100cm  
\*\*342cm



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)