Baby Seat, 7 ft

SW990022



Item no. SW990022-00			
General Product Information			
Dimensions LxWxH	2'1"x1'3"x4'7"		
Age group	1+		
Play capacity (users)	1		
Color options	•		



The sturdy baby seat of the Baby Seat Swing is an irresistible invitation for infants and their caregivers. The swinging motion of the Baby Seat Swing will make infants want to go again and again. There are several benefits of the attraction: firstly, the swing seat supports the seated infant all around so that the feeling of security is guaranteed. Secondly, the rubber seat is placed in a good height for the infant to be at eye level with children. The swinging motion trains the child's motor skills, specifically the sense of balance and space. Sitting up while swinging also trains the core muscles. All of these physical skills are fundamental to the infants ability to walk and navigate surroundings securely. The action also stimulates the understanding of cause and effect and thinking skills. Socially, swinging and being pushed in the swing seat by parents, caregivers or siblings is great fun.



Baby Seat, 7 ft

SW990022





Toddler swing seat Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. Social-Emotional: feeling of security from support. Cognitive:

understanding of cause and effect.



Baby Seat, 7 ft

SW990022



The baby seat is a two component seat with a PP inner core and outside rubber, produced in one operation. The seat is available with swing chains of either hot dip galvanized steel or stainless steel.



Item no. SW990022-00				
Installation Information				
Max. fall height	0'0"			
Safety surfacing area	130ft ²			
Total installation time	0.1			
Excavation volume	0yd³			
Concrete volume	0yd³			
Footing depth (standard)	0'0"			
Shipment weight	12lbs			
Anchoring options				
Warranty Information				
Chains	10 Years			
Spare Parts Availability	10 Years			
Swing seat	10 Years			

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

ASTM F1487 compliant

Sustainability Data

Cradle to Gate A1-A3

SW990022-00

SW990022



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

19.30

CO2e/kg

kg CO₂e/kg

4.31

Recycled

materials

%


17.94



SW990022

* Max fall height | ** Total height | *** Safety surfacing area

KOMPAN Let's play



Click to see SIDE VIEW

* Max fall height | ** Total height

5 / 05/23/2024