M191





General Product Information

Dimensions LxWxH 46x46x97 cm
Age group 1+
Play capacity (users) 1
Color options



The Toddler Spica with its cute floral theme appeals hugely to infants and toddlers. The response to movement of the Toddler Spica attracts children again and again. The rotation is a delightful and even thrilling play activity. Children can use the Spica while seated or standing. In both cases that trains the vestibular system, the senses of space and

balance. These are important to toddlers in particular, as they support the confidence in moving generally. Confidence in movement helps the child in other aspects of development, for instance in socialization: being able to keep up with the others. In concentration skills: being able to focus on other things than keeping your balance. With

room for more than one child, the Spica supports cooperative play and social play, that will help children to make friends.





M191







Seat Physical: stepping up, jumping down develops muscle and motor skills. Social-Emotional: meeting, sharing and having a break.





Internal ball-bearing spinner
Cognitive: logical thinking, figuring out how to
make the spinner work with gravity, not
against if



Pole

Physical: more gripping or leaning support points when standing, sitting, hanging holding tight and spinning.

M191





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The Toddler Spica bearings are installed in a one-piece design bearing house with integrated drain holes for water passage. The two large steel bearings are fully closed and lifetime lubricated.

Item no. M19101-3517P			
Installation Information			
Max. fall height		60 cm	
Safety surfacing area		9.3 m²	
Total installation time		1.8	
Excavation volume	(0.30 m³	
Concrete volume	(0.21 m³	
Footing depth (standard)		70 cm	
Shipment weight		32 kg	
Anchoring options	In-ground	→	
	Surface	~	
Warranty Information			
Bearing construction		5 years	
EcoCore HDPE	Lifetime		
Hot dip galvanised steel	Lifetime		
Spare parts guaranteed	1	0 years	



Sustainability Data

M191





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
M19101-3517P	69.63	2.44	47.88


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

