



# Agility Trail 6

NRO865

Item no. NRO865-1001

## General Product Information

Dimensions LxWxH	1846x138x260 cm
Age group	6+
Play capacity (users)	20
Color options	 



The Agility Trail 6 is a challenge that all 6-12 year olds will want to take on. The variation in climbing, crawling, balancing and meeting activities will make children come back again and again. The combination of overhead and balance activities, swaying nets and ropes offer great play challenges. Climbing or crawling up, down and through the Agility Trail 6 stimulates

agility, balance and coordination. These motor skills are necessary to managing the world securely and achieving physical confidence. The swaying seat points and the horizontal beams are great for meeting and exchanging. The many ropes and their bouncy character make them a constant balance and muscle trainer, even when seated. When climbing

through the Agility Trail 6 children train their cooperation, negotiation and turn-taking skills.



Data is subject to change without prior notice.

# Agility Trail 6

NRO865



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made of +95% Post-consumer materials and is inductively melted onto each strand to obtain excellent wear and tear resistance.



The teardrop handle has been designed in such a way that it can be used as a handle and a footrest. The shape and diameter of the handle is optimal for kids.

Item no. NRO865-1001	
Installation Information	
Max. fall height	58 cm
Safety surfacing area	76.7 m <sup>2</sup>
Total installation time	26.0
Excavation volume	2.27 m <sup>3</sup>
Concrete volume	0.68 m <sup>3</sup>
Footing depth (standard)	100 cm
Shipment weight	1,422 kg
Anchoring options	In-ground ✓ Surface ✓



Full coloured EPDM rubber seats with smooth surface. The seats are moulded on a hot dip galvanised steel inlay that ensures durable fixation to the rope.



Chains are made of high-quality stainless-steel to ensure durability of the product.




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



# Sustainability Data

NRO865



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>NRO865-1001</b>	317.10	0.29	2.40

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

**Verified by:**

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

**By Bureau Veritas HSE**  
www.bureauveritas.dk  
+45 7731 1000





# Agility Trail 6

NRO865

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)