


Play Panel 2 - Emotion

PCM003222

KOMPAN
Let's play




The Emotions Play Panels immensely attract young children with their variation of rich, responsive play textures. The sense of touch is hugely stimulated with the Conveyor belt. The tactile stimulation, apart from being deeply satisfying for children, stimulate their fine motor and language abilities. So does the thematic character of the play panel: there is a watch to

the one side of the Conveyor Belt, and a Shop window that can be open and closed with curtains. This inspires playing shop or other dramatic play scenarios, that stimulate communication, language and social-emotional development. The mirror is there to assist the shop assistant in looking okay, and looking behind his shoulders, too. KOMPAN Play

Institute analysis shows the mirror as an immensely attractive activity for young children, developing their understanding of themselves as individuals, as well as their social-emotional skills. The binoculars make possible a view of the playground.

产品编号	PCM003222-0901
产品信息概览	
长宽高尺寸	495x387x89 cm
适用年龄段	1+
容纳人数	9
颜色选择	



数据如有更新，恕不另行通知。

Play Panel 2 - Emotion


PCM003222

KOMPAN
Let's play



Binoculars

认知能力: 创造了一个有形的主题，促进戏剧扮演。戏剧扮演可以很好地训练语言技巧。**创造力**: 双筒望远镜可以 360 度旋转，让孩子们从新视角看世界。



Clock

认知能力: 以具体的方式学习计算和时间知识。**创造力**: 设置不同的时钟时，在游乐场上留下自己的印记。



Two sides

社交情感: 邀请合作与交流。低矮的高度和透明的面板使双方之间的互动成为可能。

Mirror

认知能力: 了解个性和自我表达。激发戏剧性游戏的玩耍，从而促进语言和沟通能力的发展。



Conveyor belt

身体素质: 儿童可以感受触摸传送带上滚动的球体时产生的触觉刺激。**社交情感**: 鼓励团队游戏和交流互动。**认知能力**: 培养对物体永存性的理解。



带窗帘的窗户

身体素质: tactile stimulation supports sensory skills, when children explore characteristics of the materials. **社交情感**: social interaction between inside and outside, supporting turn-taking and cooperation. **认知能力**: understanding object permanence when playing, e.g. peek-a-boo. Dramatic play support, encouraging language skills. **创造力**: 留下印记，决定如何摆放窗帘。

Play Panel 2 - Emotion

PCM003222

KOMPAN
Let's play



19 毫米 EcoCore™ 面板。EcoCore™ 是一种高度耐用、环保的材料，不仅在使用后可回收利用，而且还包含由 100 % 食品包装可循环材料制成的核心。



具有热镀锌钢脚的主立柱有不同的材料可供选择：压力浸渍松木立柱；在内外部进行了预镀锌处理，顶部涂有粉末涂层的钢柱；无铅铝，表面彩色阳极氧化处理；环保产品 TexMade 立柱，100% 消费后再生的 PE 和纺织废料制成。



木琴音乐面板由 19mm EcoCore™ 的 HDPE 材料组成。管道由压铸铝制成，专门用于户外环境。打击乐器面板由 2 个康加鼓和 PP 管组成，顶部为彩色 ABS。


产品编号 PCM003222-0901

安装信息

最大跌落高度	0 cm
安全面积	14.2 m ²
安装总时长	5.6
开挖量	0.08 m ³
混凝土使用量	0.00 m ³
标准入地深度	85 cm
运输重量	86 kg
固定选项	地表 <input checked="" type="checkbox"/> 入地 <input checked="" type="checkbox"/>

质保信息

EcoCore HDPE	终身质保
镀锌钢结构	终身质保
活动部件	2 年
立柱	10 年
承保零部件	10 年



KOMPAN 环保系列产品采用终极环保材料设计，具有将二氧化碳排放当量系数降至最低的可能性。如 100% 消费后的海洋可循环材料制成的 EcoCore™ 面板。

Sustainability Data

PCM003222



从原材料到成品

	CO ₂ 排放总量		回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	
PCM003222-0950	99.61	1.51	77.52
PCM003222-0901	114.39	1.90	70.87

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。


Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO₂
calculation method
BUREAU VERITAS
HSE Denmark A/S



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE

www.bureauveritas.dk
+45 7731 1000





Play Panel 2 - Emotion



PCM003222

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度



PCM003222

[点击查看俯视图](#)

[点击查看侧面图](#)