

00

NRO610



| Item no. NRO610-1021 | | | | |
|-----------------------------|---------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 225x74x178 cm | | | |
| Age group | 2 - 12 | | | |
| Play capacity (users) | 6 | | | |
| Colour options | | | | |



The Robinia Play & Learn Blackboard is a great creativity attractor, that children return to again and again. It appeals to children's dramatic play, e.g. playing school. It also stimulates creativity in drawing. Due to the two sides of the blackboard bigger groups can draw together, e.g. in an outdoor classroom. The richness in tactile detail with acabus, clock, bell and number board train the fine motor skills and hand-eye coordination. The clock stimulates the understanding of time and measures. The clock makes it possible to leave a mark with sound, which trains the logical thinking skills of the youngest. The clock and bell are used intensely in dramatic play in play tests. The number board inspired play-

B

100

counting. Drawing and play-writing were essential parts of the blackboard play. Playschool games are known to stimulate children's interest in learning and readiness for school.




Play & Learn Blackboard

NRO610



Clock and bell panel Cognitive: understanding cause and effect when ringing bell, learning about numeracy and time in a tangible way. Creative: leaving a mark in creating new positions on clock or with sound creating a rhythm when ringing or knocking the bell.





Abacus Cognitive: supports understanding of measures.

KOM

Let's play



Number panel Cognitive: stimulates understanding of numeracy and mathematics.



Blackboard

Social-Emotional: the two sides and width of the blackboard caters for groups of children cooperating and sharing ideas. Creative: drawing and leaving your mark stimulates creative thinking.

Play & Learn Blackboard



NRO610



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



Play activities in very strong materials: HDPEplate with HDPE-clock and hands in conveyer belt rubber, bell in pressed aluminium. Mirror in plexi-glass with a high impact resistant.

Installation Information

| Max. fall height | 0 cm |
|--------------------------|-------------|
| Safety surfacing area | 0.0 m² |
| Total installation time | 5.3 |
| Excavation volume | 0.25 m³ |
| Concrete volume | 0.00 m³ |
| Footing depth (standard) | 100 cm |
| Shipment weight | 249 kg |
| Anchoring options | In-ground 🗸 |
| | |

| Warranty Information | | | |
|-------------------------------|----------|--|--|
| Robinia wood | 15 years | | |
| Ropes & nets | 10 years | | |
| Spare parts guaranteed | 10 years | | |
| Stainless steel components | Lifetime | | |
| Stainless steel components | Lifetime | | |



Environment friendly material: Numbers & letters plate and clock/bell plate are made of 19mm EcoCore™. EcoCore™ is a highly durable, ecofriendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer. The shafts for the abacus be (PA). The 2-sid ceramic steel.



The shafts for abacus are in stainless steel and the abacus beads are injection-moulded nylon (PA). The 2-sided black chalkboard is in ceramic steel.

| Elevated activities 0 | Accessible elevated activities | Accessible ground level activities | Accessible ground level play types |
|------------------------------|--------------------------------------|---|---|
| Present | 0 | 1 | 1 |
| Required | 0 | 1 | 1 |



Sustainability Data

NRO610



| Cradle to Gate A1-A3 | Total CO ₂ CO ₂ e/kg emission | | Recycled materials |
|----------------------|--|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| NRO610-1021 | 105.11 | 0.53 | 26.08 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023




+45 7731 1000

By Bureau Veritas HSE

www.bureauveritas.dk




NRO610





* Max fall height | ** Total height



NRO610

NRO610 ** 5'-10" / 178cm

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 07/10/2024