Basketball goal chain net

KOMPAN

FRE3021



| Item no. FRE3021-3717 | |
|-----------------------------|------------|
| General Product Information | |
| Dimensions LxWxH | 0x0x368 cm |
| Age group | 3+ |
| Play capacity (users) | - |
| Colour options | |



A basketball goal can be used by only one person, two or a whole group simultaneously. Here everyone can join in and it's easy to walk to and from the game.The basket is mounted at a height of 10 feet (305 cm), according to the official regulations.

Pole of hot-dip galvanized steel and steel basket with powder coated surface treatment.

Basketball goal chain net



FRE3021



Panels of 19mm EcoCore[™] HDPE. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The basketball hoop is made from hot dipped galvanized steel with a powder coated finish. The net is made from Ø4 chain links made from s235 Galvanized steel or stainless-steel chains which meet the requirements in ISO1434-ISO1435 and DIN766. The chains have a circumference of \sim Ø30cm at the bottom and \sim Ø50cm at the top.



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

| Item no. FRE3021-3717 | | | |
|--------------------------|-----------|-----|--|
| Installation Information | | | |
| Max. fall height | 0 | cm | |
| Safety surfacing area | 0.0 | m² | |
| Total installation time | | 2.9 | |
| Excavation volume | 0.32 | m³ | |
| Concrete volume | 0.21 | m³ | |
| Footing depth (standard) | 90 cm | | |
| Shipment weight | 193 kg | | |
| Anchoring options | In-ground | ~ | |
| | | | |
| | | | |
| Warranty Information | | | |

| warranty mormation | |
|------------------------|----------|
| Chains | 10 years |
| EcoCore HDPE | Lifetime |
| HDG post | Lifetime |
| Spare parts guaranteed | 10 years |



Sustainability Data

Cradle to Gate A1-A3

FRE3021-3717

FRE3021



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

280.47

CO2e/kg

kg CO₂e/kg

2.34

Recycled

materials

%

56.56



FRE3021

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW