

Cosmos Meeting Point

FRE3000



The Stargazer is the perfect place for getting together with friends or relaxing. The roof consists of 4 screens providing protection from all types of weather conditions, while also providing a great view of the sky. This unique curved design is very spacious and enables eye contact with the other users wherever they are sitting.

| | |
|------------------------------------|------------------|
| Item no. FRE3000-3417 | |
| General Product Information | |
| Dimensions LxWxH | 12'10"x8'4"x8'8" |
| Age group | 3+ |
| Play capacity (users) | - |
| Color options | ● |




Cosmos Meeting Point


FRE3000



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



Roof is made of a steel frame supported Ekogrip® panel. The Ekogrip® panel consist of a 15mm thick PE base with 3 mm top-layer of rubber.



The significant components are made of 100% recyclable PE made from 33% post-consumer materials. They are molded in one piece with a minimum 5mm wall thickness to ensure high durability in all climates worldwide.

Item no. FRE3000-3417

Installation Information

| | |
|--------------------------|--------------------------|
| Max. fall height | 0'0" |
| Safety surfacing area | 0ft ² |
| Total installation time | 8.4 |
| Excavation volume | 2.45yd ³ |
| Concrete volume | 1.12yd ³ |
| Footing depth (standard) | 2'4" |
| Shipment weight | 767lbs |
| Anchoring options | In-ground ✓ Surface ✓ |

Warranty Information

| | |
|--------------------------|----------|
| Hollow PE Parts | 10 Years |
| Hot dip galvanized steel | Lifetime |
| Spare Parts Availability | 10 Years |

Sustainability Data

FRE3000



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| FRE3000-3417 | 715.89 | 2.75 | 27.82 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Cosmos Meeting Point

FRE3000

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)