


PlayBox™, Outdoor, S33

PBO200101

KOMPAN



품번 PBO200101-0002	
일반 제품 정보	
크기 (가로 × 세로 × 높이)	412x476x342 cm
이용 연령	3+
이용 가능 인원	14
색상 옵션	●



The enclosed Outdoor PlayBox offers fun and varied play meandering across levels and platforms, providing children with muscle and motor skill training as well as social connection and cognitive stimuli. The circular openings invite children into the ground level of the structure, which has a spacious mid area with three nice stools for a break as well as a mirror play panel which offers explorative play and

appeals to individual or small group activity. From the lower level, a climbing wall leads up to the next platforms with rollers, and an intriguing strap-covered opening leads to the mouth of the slide. This opening makes possible the looping back up the platforms for another slide, without leaving the PlayBox. Children have a choice of going straight up to the wild slide via climbing walls, or taking a

break on the elevated level: flap doors lead to a fun mid section with horizontal rollers that invite balancing and offer tactile stimulation. This space also features a Tic-Tac-Toe-panel inviting small group games. All in all, there is plenty of physical exercise and fun togetherness offered in the PBO200101.



PlayBox™, Outdoor, S33


PBO200101



Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.




Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.



Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.



UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.

품번 PBO200101-0002	
설치 정보	
최대 낙하 높이	100 cm
안전 바닥 면적	0.0 m²
총 설치 시간	64.4 시간
굴착량	0.00 m³
콘크리트 사용량	0.00 m³
기초 깊이 (표준)	0 cm
운송 중량	1,032 kg
고정 방식 옵션	Surface ✓
보증 정보	
PP 데크	10 년
로프 및 네트	10 년
HPL Panels	5 년
Soft Activities	5 년
보증 대상 예비 부품	10 년

**EN
1176**
compliant

지속 가능성 데이터

PBO200101



Independent review certificate

Kompan A/S
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO₂e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO₂e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO₂e.

Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data_updated emissions factors_2025_V2" and "Emissions factors, EPD's and ecoinvent 3.11_2025" was also reviewed and approved.

Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO₂e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

Note: This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan_Verification report 2025, 28-10-2025

Date of certificate: 29-10-2025

Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature:

원료 채취 ~ 공장 출하 (A1~A3)	총 CO ₂ 배출량	CO ₂ 배출량 /kg	재활용 소재
	kg CO ₂ e	kg CO ₂ e/kg	%
PBO200101-0002	4,432.32	4.56	23.51

이 요소들에 적용된 전체 프레임워크는 환경 제품 선언 (Environmental Product Declaration, EPD) 으로, "제품의 전 과정에서 발생하는 환경 정보를 수치화하고, 동일한 기능을 수행하는 제품 간 비교를 가능하게 하는 것" (ISO, 2006) 을 목표로 합니다. 이 프레임워크는 구조를 준수하며, 원재료 단계부터 제조 단계 (A1-A3) 까지의 전체 제품 단계를 대상으로 한 전과정평가 (Life-Cycle Assessment, LCA) 접근법을 적용합니다.



PlayBox™, Outdoor, S33

PBO200101



* 최대 낙하 높이 | ** 전체 높이 | *** 안전 바닥 면적

* 최대 낙하 높이 | ** 전체 높이



[위에서 보기](#)

[옆에서 보기](#)