SW990201





Item no. SW990201-00

General Product Information

Dimensions LxWxH 69x80x0 cm
Age group 2+
Play capacity (users) 2
Colour options 2

There is nothing more fun than swinging. The Duo Seat adds to the joy by making it possible to swing in eye height with your best friend. The sturdy handholds of the Duo Swing Seat add the possibility of vigorous swinging movements. At the same time, they add to the feeling of security. Swinging on the Duo Swing seat is more than just fun: the swinging

movements train the child's spatial awareness and sense of balance. Well-trained senses of balance and space help children navigate the world securely and adds to their self-confidence. Swinging together on the Duo Swing Seat adds tons of social and emotional benefits to the ride: Children learn cooperation and turn taking when swinging together.

Furthermore, they need to adjust their rhythm in movement. These are great skills to have in play as well as in making friends.



SW990201











∃rip bars

Physical: height and diameter to support grips of sizes from toddler to grandparent. **Social-Emotional:** feeling of security when being able to hold onto properly proportioned grip.







Swing seats

Physical: balance and spatial awareness are stimulated by swinging. These are necessary skills in e.g. judging distances. When swinging vigorously, the arm and core muscles are trained. Social-Emotional: the cooperation in movement of swinging together trains teamwork understanding and empathy.

Cognitive: cause and effect understanding, managing rhythm and thinking skills for younger children.

SW990201



235 cm

36.0 m²

0.00 m³

0.00 m³

0 cm

20 kg

0.3



KOMPAN heavy duty designed swing hangers of stainless steel with anti-twist function. The hangers are attached to the cross beam on a welded bracket with two bolts, The bearings are embedded with silicone lubricant and needs no further lubrication.



The Duo Swing seat is fitted with 6mm stainless steel chains.



The frame is powder coated inside & outside hot-dip galvanised steel.

Warranty Information

Chains 10 years
Galvanised/painted 10 years
metal

Movable parts 2 years
Spare parts guaranteed 10 years
Swing seat 10 years

Item no. SW990201-00

Installation Information

Max. fall height

Safety surfacing area

Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight

Anchoring options



The Duo swing seat can be installed in Kompan A-Frame, Robinia Frame and Portal swing systems for the heights 2.5 and 3.0. The swing seat is not applicable for 2.0.



All soft seat materials are UV and ozone protected to the maximum within the frames of the strongest environmental demands.



The baby seat is made of black TPV (Santoprene) and the design has large leg holes for easy placement of baby/toddler.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

CSA Z614 compliant

Sustainability Data

SW990201





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
SW990201-00	48.28	3.21	37.07

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


SW990201



11'-10" [360cm] 2'-3" [69cm] 38'-1" [1161cm] 26'-3" [801cm] 2'-8" [80cm] SW990201 **~6' 3"/~190cm ***310ft2 / 36m2

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



SW990201

Click to see TOP VIEW

Click to see SIDE VIEW