MSC5424





Item no. MSC542401-3417P

General Product Information

Dimensions LxWxH 10'7"x9'2"x4'11"

Age group 2 - 5

Play capacity (users) 15

Color options





This colorful, bright play unit invites all in with a WOW of play experience variety. The unit will attract toddlers again and again, thanks to the layered play. Play details are scaled to evoke curiosity and support play for age 1 and up. The varied physical play events of the Double Toddlers Castle offer motor skill and muscle stimulation for all, and there is a broad stairway

to support crawling and caregiver assistance. Alternatively there is a climb challenge in the inclined climbing wall that can train cross-coordination. On the platform there is a rewarding slide and fun holes to offer interaction with the outside. The bubble window reflects a child's voice and can support language and logical thinking. The many

ground level details are tactile temptation for curious toddlers and additionally support cause and effect understanding and logical thinking.

MSC5424









Bubble Window Social-Emotional: invites interaction between outside and inside. Cognitive: distorts the sound of the voice, developing logical thinking.





Rock climber

Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the incline makes climbing feel safer, especially for younger children.













Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.













Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.

Physical: climbing the stairs supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers.


Desk with ring Social-Emotional: a place for meeting and exchanging. Creative: sand and construction play encouraged with sieve in desk.

Panel with manipulatives

Social-Emotional: cooperation from both sides of panel. Cognitive: cause and effect understanding and logical thinking: making sounds when running the play sphere through the vertical groove.

MSC5424





All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates.



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.

Installation Information				
Max. fall height		2'0"		
Safety surfacing area		365ft²		
Total installation time	13.6	hours		
Excavation volume	0.	59yd³		
Concrete volume		0yd³		
Footing depth (standard)		2'0"		
Shipment weight	6	62lbs		
Anchoring options	In-ground	~		
	Surface	~		

Item no. MSC542401-3417P

Warranty Information EcoCore HDPE Lifetime Hot dip galvanized steel Lifetime HPL decks 15 Years Movable parts 2 Years Spare Parts Availability 10 Years



The transparent bubble is made of PC. It allows children to observe the playground and surroundings.

Elevated activities 2	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	2	3	2
Required	1	1	1



Sustainability Data

MSC5424





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC542401-3417P	532.79	2.19	53.93


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





MSC5424



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW