
Balance Combination

NR0851



| Item no. NRO851-1001 | | | | |
|-----------------------------|----------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 455x243x197 cm | | | |
| Age group | 4+ | | | |
| Play capacity (users) | 4 | | | |
| Colour options | | | | |







The product is available as FSC® Certified (FSC® C004450) robinia wood on request.



1 / 12/04/2024

Balance Combination

88

NRO851

Rope handholds

a feeling of security.

Physical: provides stability in balancing.

Makes possible hanging in arms, training

upper body muscles. Social-Emotional: adds





• 00



Steppings Physical: children develop agility, balance and cross coordination when crawling, running or jumping from one step to another. Social-Emotional: the steps invite a seated break for socializing.



Balance beam

.

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. Social-Emotional: turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.

Balance Combination



NR0851



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



made from alder and pine wood. Both sides are covered by 2 layers of phenolic film with anti slip net pattern. All cutting edges are sealed with paint to ensure long lifetime.

| Item no. NRO851-1001 | | | | | |
|--------------------------|-----------|-------|--|--|--|
| Installation Information | | | | | |
| Max. fall height | 4 | 5 cm | | | |
| Safety surfacing area | 25 | .6 m² | | | |
| Total installation time | | 4.4 | | | |
| Excavation volume | 0.2 | 21 m³ | | | |
| Concrete volume | 0.0 |)0 m³ | | | |
| Footing depth (standard) | 10 | 0 cm | | | |
| Shipment weight | 25 | 50 kg | | | |
| Anchoring options | In-ground | ~ | | | |
| | Surface | ~ | | | |
| Warranty Information | | | | | |
| Robinia wood | 15 y | /ears | | | |
| Ropes & nets | 10 y | /ears | | | |
| Spare parts guaranteed | 10 y | /ears | | | |



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability Data

NRO851



| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| NRO851-1001 | 32.04 | 0.18 | 1.15 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk

+45 7731 1000

Data is subject to change without prior notice.





NR0851

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

5 / 12/04/2024