Swing Combination

NRO907



 KOMPAN C

 Let's play

 Item no. NRO907-1101

 General Product Information

 Dimensions LxWxH
 723x208x284 cm

 Age group
 2+

 Play capacity (users)
 9



Ċ,

Color options

The swing is a playground favourite, children love it as it can be done individually and together! This swing set combines that joy and adds the possibility of different body positions and group sizes with two single swing seats and one nest swing seat. Swinging trains the children's ABC: agility, balance and coordination, as well as their spatial

awareness. All seats on this frame allow for standing sitting, lying and jumping off. All these activities support the development of arm, leg and core muscles and building bone density – the majority of which is built up during the first years of life.

Data is subject to change without prior notice.



Swing Combination

NRO907







Bird nest swing

Physical: develops balance, coordination and spatial awareness. The swinging movement trains the arm, leg and core muscles, and strengthens bone density when jumping off. Social-Emotional: the spacious seat allows for many children standing, lying, seated together and is inclusive for all. Cognitive: cause and effect understanding, rhythm and thinking skills are developed in younger children.



Two single swing seats

Physical: trains balance, coordination and spatial awareness. All necessary when judging distances. Trains arm, leg and core muscles, and strengthens bone density when jumping off. Social-Emotional: parallel play invites cooperation and consideration. Cognitive: cause and effect and thinking skills for younger children. Rules games for bigger children, when swinging in same or different rhythm.

KOMPAN Let's play

Swing Combination

NRO907



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Swing hangers for Robinia wood crossbeams are made of stainless steel brackets and can move over two axis. The flange bearings are silicone enriched to make the suspension maintenance free.



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot dip galvanised steel or stainless steel for all swings heights.

Item no. NRO907-1101		
Installation Information		
Max. fall height	150) cm
Safety surfacing area	42.9	9 m²
Total installation time		9.9
Excavation volume	2.29 m³	
Concrete volume	0.48 m³	
Footing depth (standard)	113 cm	
Shipment weight	618 kg	
Anchoring options	In-ground	~



Unique designed seats for toddles: Baby seat of rubber. Toddler seat of PUR with four chain suspension for easy movement. Cradle seat. You & Me swing seat for adult/child or children of different ages to swing together while facing each other.



KOMPAN designed the bird's nest seats to be light in weight and in compliance with global safety standards. The soft, shock absorbent bumpers with non-slip surface makes the swing seat extremely user friendly. Choose between a rope version with reinforced PA rope or a moulded PE version. Both equipped with soft rubber bumpers.



Sustainability Data

Cradle to Gate A1-A3

NRO907-1101

NRO907



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

299.34

CO2e/kg

kg CO₂e/kg

0.55

Recycled

materials

%

3.08





NRO907



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





NRO907

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024