
Sprinter with Shading

PCE105633



Item no. PCE105633-0903			
General Product Information			
Dimensions LxWxH	17'3"x21'2"x13'9"		
Age group	2 - 5		
Play capacity (users)	16		
Color options			





readiness for reading. The open spaces at elevation will also encourage children to socialize. The different options for sliding to the ground adds to the thrill. Sliding develops the child's trunk stability and sense of balance. These are important skills for moving with confidence. The double slide invites social play and inclusive play. Sliding with friends

stimulates cooperation and turn-taking. Children will be delighted by the Sprinter, which encourages healthy outdoor play.

Data is subject to change without prior notice.

Sprinter with Shading

PCE105633



Double slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: invites socializing, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down quickly.







Somersault bar

Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. Social-Emotional: meeting, socializing and turntaking when climbing up and down via bar.



Climbing pole Physical: cross coordination and muscle strength are trained. Social-Emotional: turntaking and cooperation.



Megaphone

Social-Emotional: inspires communication and turn-taking skills. **Cognitive:** distortion of sound evokes curiosity and stimulates an understanding of cause and effect.




Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turntaking. **Cognitive:** for toddlers cause and effect understanding.



Sprinter with Shading

PCE105633



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The ELEMENTS roofs are made of recyclable PE made from 33% post consumer recycled materials with a minimum wall thickness of 5 mm to ensure high durability in all climates around the world. The steel pipes are hot dip galvanised inside and outside for maximum durability.



Sails of commercial 95 high density PE knitted specially for sun-shade structures. The sails are treated with UV stabilizers to ensure a long lifetime. The sails are supported by a hot dip galvanized steel frame and tightened by stainless steel devices.

Item no. PCE105633-0903				
Installation Information				
Max. fall height	3	3'10"		
Safety surfacing area	6	09ft ²		
Total installation time		22.7		
Excavation volume	0.8	2yd³		
Concrete volume	0.	1yd³		
Footing depth (standard)	2	2'11"		
Shipment weight	145	3lbs		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
EcoCore HDPE	Life	time		
Post	10 Y	'ears		
PP Decks	10 Y	'ears		
Spare Parts Availability	10 Y	'ears		
Sun shading sails	2 Y	'ears		



The main posts are made of high quality pregalvanized steel with powder coated top finish. Post tops are closed with caps of UV stabilized nylon (PA6). The grey colored molded decks are made of 75% post-consumer waste PP material with a non-skid pattern and texture surface. All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options.



The slides are available in either molded PE in different colors or in full stainless steel AISI304 t= 2mm.



All steel activities has a unique surface treatment of hot dip galvanized base and powder coated top finish to provide durable products with long lifetime for all environments.

	Elevated activities 5	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
	Present	5	2	2
	Required	3	2	2

ASTM F1487 compliant

Sustainability Data

PCE105633



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCE105633-0903	1,337.80	2.53	51.61

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000




PCE105633



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 08/15/2024