
NRO810







#### **General Product Information**

Dimensions LxWxH 12'6"x4'1"x4'7"

Age group 5 - 12

Play capacity (users) 3

Color options









The Wobble Bridge invites children to try out their balancing skills. The horizontal logs are responsive to every movement, training important physical skills such as using balance and muscles in feet, legs, core and arms to adjust equilibrium. For less trained bridgewalkers, the side beams add support. Walking the Wobble bridge is also a highly social

experience. Children can feel the movements of all the other children on the bridge from the horizontal and vertical carrier chains. This feature adds to the physical challenge of keeping the balance when going over the bridge together. It additionally encourages children to cooperate and negotiate with each other as well as take turns. These are

important social-emotional life skills when out making friends.









#### Wobble bridge

Physical: passing the swaying bridge steps develops the sense of balance, which is fundamental in navigating the world securely. Social-Emotional: passing others on the way supports consideration and turn-taking skills.



NRO810





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Chains are made of high-quality stainless-steel to ensure durability of the product.



The Robinia wood can be supplied as untreated raw wood or painted with a brown colored transparent pigment that maintains the golden wood color of the wood.

Item no. NRO810-1001					
Installation Information					
Max. fall height		1'5"			
Safety surfacing area		364ft²			
Total installation time		6.6			
Excavation volume	0	.37yd³			
Concrete volume	0.	.05yd³			
Footing depth (standard)		3'3"			
Shipment weight	7	789lbs			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
Robinia Wood	10	Years			
Spare Parts Availability	10	Years			
Stainless steel components	Li	fetime			
Stainless steel components	Li	fetime			

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



**Sustainability Data** 

NRO810





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200mm

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO810-1001	86.59	0.31	2.85

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

NRO810



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height

