Swing Frame for 1 seats

NRO921





A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their

development of balance and coordination.

Item no. NRO921-090	1			
General Product Information				
Dimensions LxWxH	321x219x290 cm			
Age group	2+			
Play capacity (users)	-			
Color options				





Swing Frame for 1 seats

NRO921



_ Ii	tem	no.	ΝF	₹()9	121	I -(ŊÇ) ()	11

Installation Information				
Max. fall height		0 cm		
Safety surfacing area	C).0 m²		
Total installation time		5.6		
Excavation volume	1.	19 m³		
Concrete volume	0.	35 m³		
Footing depth (standard)	8	38 cm		
Shipment weight	3	90 kg		
Anchoring options	In-ground	~		



Sustainability Data

NRO921





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO921-0901	48.70	0.17	0.90

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


Swing Frame for 1 seats


NRO921



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





NRO921 **290cm

Click to see TOP VIEW Click to see SIDE VIEW