
NRO2010





General Product Information

Dimensions LxWxH 646x1099x534 cm
Age group 4+
Play capacity (users) 38
Colour options





The Wizard's Double Tower Fortress is an irresistible play attraction for children. With its varied play corners and diverse physical play activities, it attracts children again and again, for a long time. The stairway with hammock makes a nice haven for children of all abilities. The slides and curly climber are thrilling rides down, training core stability as the child sits

upright when sliding. The variation of inclined wood and net accesses assist the child in climbing up in more or less challenging ways, training cross-coordination and leg, arm and core muscles. An inclined climb gives a bigger sense of security than a vertical one, thus inviting a range of children of varied abilities. The platforms on the ground and at elevated

levels invite meetings and exchanges.

NRO2010









Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers. An inclusive space.









Net bridge

Physical: children develop their balance, cross coordination and spatial awareness in the open net. Social-Emotional: interaction with children outside, socialising. Cooperation and consideration, e.g. when passing others.











Physical: supports cross coordination and Physical: coordination and sense of balance leg, arm and hand strength. The hand-holds on top ease entry into platform. Social-Emotional: the inclination makes climbing feel secure, especially for younger children.



Social-Emotional: great meeting place and space creator for storing or sitting.













Curly climber

Physical: supports coordination going down, sense of balance when rotating and arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.



when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turntaking. Cognitive: for toddlers 'cause and effect' understanding.



of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.

NRO2010



Lifetime



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water-based, which is environmentally friendly and has excellent UV resistance. The paint is compliant with Australian Standards.



The Robinia products come in a number of standard colour options. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Installation Information Max. fall height 249 cm Safety surfacing area 77.8 m² Total installation time 60.0 Excavation volume 2.58 m³ Concrete volume 0.36 m³ Footing depth (standard) 100 cm Shipment weight 2,526 kg In-ground Anchoring options Surface **Warranty Information** Hollow PE parts 10 years Robinia Wood 15 years 10 years Ropes & Nets Spare Parts Guarantee 10 years

Item no. NRO2010-1021



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections that has high corrosion resistance.



Stainless Steel

Components

3 / 07/30/2024 Data is subject to change without prior notice.

Sustainability Data

NRO2010





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO2010-1021	1,191.11	0.54	6.81

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200ml

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRO2010



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see SIDE VIEW