


Fire Engine


M535



Item no. M53570-3418P

General Product Information

Dimensions LxWxH	172x275x190 cm
Age group	6m+
Play capacity (users)	8
Color options	



WOW! The Fire Engine motivates endless hours of play, again and again. It spurs a million dramatic imagination games with friends. With its spacious design and dens, it's an experience to explore. The side, rear and front openings allow children to enter from all sides, enabling versatile crawling. This trains cross-coordination, which in turn stimulates

future reading skills. The story-telling and dramatic play dimension of the Fire Engine is immense. Dramatic play is great for language development, and here dramatic play is invited in several places: The driving compartment has two steering wheels to stimulate parallel play. Numerous themed tactile elements in the unit stimulate cause-and-effect understanding.

They are dramatic play props: The megaphone warns people of fire. Endless social and dramatic play!




Fire Engine

M535



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



Foot support is made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.




Play activities like the Megaphone are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength and is UV stabilised.


Item no. M53570-3418P

Installation Information


Max. fall height	91 cm
Safety surfacing area	23.7 m²
Total installation time	15.9
Excavation volume	0.60 m³
Concrete volume	0.00 m³
Footing depth (standard)	63 cm
Shipment weight	505 kg
Anchoring options	In-ground ✓ Surface ✓



Exhaust pipe is made of polypropylene PP with excellent impact strength and usable within a large temperature span.



Handholds are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.




KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of +95% post consumer recycled ocean waste.



Sustainability Data

M535



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
M53570-3418P	749.70	1.77	49.00


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Fire Engine


M535

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



M53571
*91cm
**190cm
***23.7m²



M53571

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)