M978



| Item no. M97801-3517 | | | | |
|-----------------------------|----------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 653x621x255 cm | | | |
| Age group | 3+ | | | |
| Play capacity (users) | 5 | | | |
| Colour options | • | | | |



WOW! The Five Way Swing is a fantastic play encourager. Not only is swinging the most popular activity for school-age children but when it comes to social play for school agers, it's the more the merrier. So swinging together, five children in a circle, is hugely attractive. Apart from the fun element, swinging on the Five Ways Swing trains important physical skills such as balance, coordination, and muscle strength. This includes timing, rhythm, and the sequencing of movements to avoid or meet each other in the middle. These are important skills in ball games and other sports. They also help children manage the streets and traffic securely. The socio-emotional effect of swinging together cannot be overestimated. The soothing or wild swing movements cause both thrill, laughter, and relaxation. The Five Way Swing is for friends who love to play.





M978







Five-way swing

Physical: balance, coordination and spatial awareness are trained when swinging. All necessary when judging distances and managing traffic safely. Social-Emotional: parallel play invites cooperation and consideration. Cognitive: 'Cause and effect' understanding, managing rhythm and thinking skills for younger children when swinging. Rules games for bigger children.



Swing seat with safety chain

Physical: the curved swing seat supports a safely seated position that encourages solid swinging. Social-Emotional: the chain minimizes the risk of children jumping off toward the middle, hitting each other.

M978





The steel surfaces are hot-dip galvanised inside and outside with lead-free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

The standard seats of KOMPAN swings are engineered for maximum safety and durability. The seat two component seat with a PP inner core and outside rubber is produced in one operation. The seats are available with swing chains of either hot-dip galvanised steel or stainless steel for all swings heights.



| Item no. M97801-3517 | | | | |
|--------------------------|-------------|--|--|--|
| Installation Information | | | | |
| Max. fall height | 134 cm | | | |
| Safety surfacing area | 46.9 m² | | | |
| Total installation time | 11.1 | | | |
| Excavation volume | 2.11 m³ | | | |
| Concrete volume | 0.00 m³ | | | |
| Footing depth (standard) | 66 cm | | | |
| Shipment weight | 646 kg | | | |
| Anchoring options | In-ground 🗸 | | | |
| | | | | |
| | | | | |

Warranty Information

| Chains | 10 years |
|-----------------------|----------|
| Galvanised Steel | Lifetime |
| Spare Parts Guarantee | 10 years |
| Swing Hangers | 5 years |
| Swing Seat | 10 years |



Sustainability Data

M978



| Cradle to Gate A1-A3 | Total CO₂ emission | CO₂e/kg | Recycled materials |
|----------------------|-----------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| M97801-3517 | 908.22 | 1.40 | 23.44 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE

www.bureauveritas.dk


+45 7731 1000

M978



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

5 / 09/27/2024