
10-Seat Frame H:2.5M, Steel

KSW9310







Portal Swing Frame Combination



10-Seat Frame H:2.5M, Steel

KSW9310



Item no. KSW9310-0909			
Installation Information			
Total installation time		14.2	
Excavation volume	3.5	3.56 m³	
Concrete volume	1.1	1.14 m³	
Footing depth (standard)	8	88 cm	
Shipment weight	56	567 kg	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
Chains	10 years		
Hot dip galvanised steel	Life	Lifetime	
Spare parts guaranteed	10 y	10 years	
Swing hangers	5 y	5 years	
Swing seat	10 v	10 years	



Sustainability Data

KSW9310





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais


Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))