

MSC6422



Item no. MSC642200-3717P			
General Product Information			
Dimensions LxWxH	20'4"x29'7"x13'3"		
Age group	2 - 5		
Play capacity (users)	34		
Color options	•		





WOW! The Story Makers Castle is a true play

climbing and crawling on varied levels of difficulty adds to the attraction and make children come back again and again. These additionally train e.g. the cross-coordination and sense of balance, important for children's confidence in moving. Thanks to the two-sided panels and themes and the wide accessible stairway, this is play for all, all around the

structure. So the social play invitation is immense. Here all children can meet, greet and make common play stories.





MSC6422



Rock climber Physical: supports cross coordination and leg, arm and hand strength. Social-Emotional: the incline makes climbing feel safer, especially for younger children.





KOMP

Let's play

## Slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.



### Binoculars

**Cognitive:** the binoculars set a tangible theme and so spur dramatic play. Dramatic play is great for developing language and communication skills. **Creative:** the binoculars can be turned in all directions. Looking through them gives a new perspective on the world.



#### Megaphone

**Social-Emotional:** inspires communication and turn-taking skills. **Cognitive:** distortion of sound evokes curiosity and stimulates an understanding of cause and effect.

## Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downward.



#### Den

Physical: crawling through the possible openings trains spatial awareness. Social-Emotional: the enclosed space invites social play for two or three children.



#### Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.

MSC6422







Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.

All floors are made of High-Pressure Laminate HPL with a thickness 17.8mm and non skid surface texture according to EN 438-6. KOMPAN HPL has high wearing strength to ensure long lifetime in all climates. Curved climbing wall is made of Ekogrip® panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.

Item no. MSC642200-3717P						
Installation Information						
Max. fall height		7'5"				
Safety surfacing area		961ft <sup>2</sup>				
Total installation time		47.7				
Excavation volume		3yd³				
Concrete volume		0yd³				
Footing depth (standard)		2'11"				
Shipment weight	3	545lbs				
Anchoring options	In-ground	~				
	Surface	~				
Warranty Information						
EcoCore HDPE	L	ifetime				
Hot dip galvanized steel	L	ifetime				
HPL decks	15	Years				
Ropes & nets	10	Years				
Spare Parts Availability	10	Years				

KON



The slides can be chosen in different materials: Straight molded PE slides or combined EcoCore<sup>™</sup> sides and stainless steel slide bed t=2mm.



Climbing nets are made of UV-stabilized PP rope with inner steel cable reinforcement. The rope is induction treated to obtain maximum fixation between steel and rope which provides excellent wear and tear resistance. All rope connectors are made of 100% recyclable PA material.



The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.

	Elevated activities <b>12</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
4	Present	7	6	4
I	Required	6	4	3

ASTM F1487 compliant

# **Sustainability Data**

MSC6422



Cradle to Gate A1-A3	Total CO <sub>2</sub> CO <sub>2</sub> e/kg emission		Recycled materials
	kg CO₂e	kg CO₂e/kg	%
MSC642200-3717P	2,800.96	2.01	56.26

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



**By Bureau Veritas HSE** 

www.bureauveritas.dk

+45 7731 1000

MSC6422

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area



32'-5" [987cm] 20'-5" [621cm] 835 41'-7" [1268cm] 29'-7" [902cm] 6' [183cm] MSC642200P \*7'-5" / 226cm \*\*13'-3" / 405cm \*\*\*961.2ft2 / 89.3m2

\* Max fall height | \*\* Total height

MSC642200

Click to see TOP VIEW