

Combi Swing, 39in w, 8ft h

KSW93045


KOMPAN
Let's play



Item no. KSW93045-0950

General Product Information

Dimensions LxWxH	23'11" x 8'0" x 9'0"
Age group	2 - 12
Play capacity (users)	2
Color options	



WOW! The combination of the bird's nest swing and two single-seat swings is a hit: children love it, as it can be done individually or with friends. It facilitates laying, seated, standing, swinging, alone or with another person. It is a great facilitator of fun rough-and-tumble play. The seats cater for multiple users of all abilities and most ages, day after day, for hours and

hours. Apart from being tremendous fun, swinging trains the children's ABCs: Agility, Balance, and Coordination, as well as their spatial awareness.

These motor skills are crucial to judging distance and navigating traffic safely. The sitting, laying, and standing swing activities

train the arm, leg, and core muscles. The jumping off builds bone density, most of which is built up during the first years of life. Finally, this swing supports social skills such as turn-taking and cooperation.



Combi Swing, 39in w, 8ft h

KSW93045



Two single swing seats

Physical: balance, coordination and spatial awareness are trained when swinging. All necessary when judging distances and managing traffic safely. The swinging movement trains the arm, leg and core muscles. **Social-Emotional:** parallel play invites cooperation and consideration. **Cognitive:** cause and effect and thinking skills for younger children. Rules games for bigger children, when swinging in same or different rhythm.



Shell nest swing

Physical: balance, coordination and spatial awareness are developed. The swinging movement trains the arm, leg and core muscles, and strengthens bone density when jumping off. **Social-Emotional:** the spacious seat allows for many children standing, lying, seated together and is inclusive for all. **Cognitive:** develops cause and effect understanding, rhythm and thinking skills in younger children.

Combi Swing, 39in w, 8ft h

KSW93045



The A-Frame is available in three post-material options: Hot-dip galvanized 70mm steel, impregnated pine wood 95x95mm with hot dip galvanized steel footings, or 120mm TexMade™ posts.



The A-Frame is designed with a hot-dip galvanized 100mm crossbar with large steel end plates for strong fixation to the posts. The crossbeam is prepared for all KOMPAN hanger options.



The swing hangers are made of high quality UV-stabilized nylon (PA6) housing with integrated lifetime sealed ball bearings. The height adjustable chains are fixed by a stainless steel hook with theft proof snake-eye bolt in a turn able anti twist housing. All seats with two chain fixation are available with either standard or anti-wrap suspension.



KOMPAN heavy duty designed swing hangers of stainless steel with anti-twist function. The hangers are attached to the cross beam on a welded bracket with two bolts, The bearings are embedded with silicone lubricant and needs no further lubrication.



KOMPAN designed the bird's nest seats to be light in weight and in compliance with global safety standards. The soft, shock absorbent bumpers with non-slip surface makes the swing seat extremely user friendly. Choose between a rope version with reinforced PA rope or a molded PE version. Both equipped with soft rubber bumpers.



KOMPAN GreenLine versions are constructed with the most environmentally friendly materials with the lowest possible CO2e emission factor. TexMade posts, EcoCore™ panels of 100% post-consumer recycled ocean waste, and molded PP decks.

Item no. KSW93045-0950

Installation Information

Max. fall height	7'11"
Safety surfacing area	902ft ²
Total installation time	10.1
Excavation volume	2.07yd ³
Concrete volume	1.15yd ³
Footing depth (standard)	2'11"
Shipment weight	1074lbs
Anchoring options	Surface ✓ In-ground ✓

Warranty Information

Chains	10 Years
Hot dip galvanized steel	Lifetime
Spare Parts Availability	10 Years
Swing hangers	5 Years
Swing seat	10 Years

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	0	0

**ASTM
F1487**
compliant

Sustainability Data

KSW93045



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
KSW93045-0950	520.34	1.34	78.86

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Combi Swing, 39in w, 8ft h

KSW93045

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)