
### **Super Combi 1 Supervised**

FSW251





The Super Combi 1 Supervised includes all the features of the standard Super Combi 1, with additional connectors for a battle rope, a boxing bag, and a station for barbell exercises. This model is specifically designed for supervised or gated areas like sports or fitness clubs, as the loose items do not meet safety standards for unsupervised public spaces.



Dimensions LxWxH 17'6"x18'1"x10'8"

Age group 13+

Play capacity (users) 13

Color options





# **Super Combi 1 Supervised**

FSW251









Post are made of 101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.







Item no. FSW25100-0900						
Installation Information						
	Max. fall height		9'10	)"		
	Safety surfacing area		485f	t²		
	Total installation time		11.	5		
	Excavation volume		1.09yd³			
	Concrete volume		0.65yd³			
	Footing depth (standard)		2'11	۱"		
	Shipment weight		1247lb	s		
	Anchoring options	In-groun	nd '	•		
		Surface	•	•		
Warranty Information						
	EcoCore HDPE		Lifetim	е		
	Hot dip galvanized steel		Lifetim	е		
	PUR components	•	10 Year	s		
	Spare Parts Availability		10 Year	s		
	Steel	•	10 Year	s		

### **Sustainability Data**

FSW251





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW25100-0900	948.55	2.41	56.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000


## **Super Combi 1 Supervised**






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see SIDE VIEW