
Springer Bowl with Footrest

ELE400067



Item no. ELE400067-12F			
General Product Information			
Dimensions LxWxH	1'10"x2'4"x2'0"		
Age group	5 - 12		
Play capacity (users)	1		
Color options			





The Springer Bowl is a wildly attractive playground activity that children will return to again and again. With its easily accessible bowl and seating height it invites children of all abilities and a wide age span to play. Children rock the Springer Bowl using their leg, arm and core muscles to coordinate movements and set it into motion. The spring will also move when children use their upper bodies solely. Movement response is one of the greatest play sensations there are. Apart from the fun, this trains the sense of balance which is fundamental to all other physical mastery. Ultimately, the sense of balance is important to the child's ability to sit still and concentrate. The rocking response to movement trains the understanding of cause and effect in younger children.

Springer Bowl with Footrest

ELE400067





Springer Bowl with Footrest Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair. Muscles are developed when pushing or pulling friends. Social-Emotional: cooperation, helping others, turn-taking. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.



Springer Bowl with Footrest



10 Years

5 Years

ELE400067



The Spinner Bowl is made of recyclable PE made from 33% post-consumer materials. The bowl is molded in one piece with integrated metal thread bushings and a water drain hole to ensure high durability in all climates around the world.



GreenLine versions in a dark teal color are designed with molded PP parts which consist of 25% recycled post-consumer waste and 75% virgin material. GreenLine ensures the lowest possible CO2e emission factor.



The Springer Bowl is available in four different colors - Yellow and lime green for classic playgrounds, dark teal for GreenLine playgrounds, and beige for natural playgrounds.

Item no. ELE400067-12F				
Installation Information				
Max. fall height		2'0"		
Safety surfacing area		158ft ²		
Total installation time		1.5		
Excavation volume	(0.38yd³		
Concrete volume		0yd³		
Footing depth (standard)		2'0"		
Shipment weight		83lbs		
Anchoring options	Surface	~		
	In-ground			
Warranty Information				
Hardware	10 Years			
Hollow PE Parts	10 Years			
Hot dip galvanized steel	Lifetime			



KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.



The sand colored variant is made of rotomolded stone mixed PE made from 33% post consumer materials with a non skid surface texture. Minor differences in the stone mix visuality of the material are to be expected.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	0	0



Spare Parts Availability

Springs

Sustainability Data

Cradle to Gate A1-A3

ELE400067-12F

ELE400067



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

86.44

CO2e/kg

kg CO₂e/kg

2.50

Recycled

materials

%

38.65





ELE400067

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/23/2024