

Multi Net

FRE3031




Item no. FRE3031-3417	
General Product Information	
Dimensions LxWxH	0'4"x49'6"x8'7"
Age group	3+
Play capacity (users)	-
Color options	<input checked="" type="radio"/>




The Multi Net can be used in combination with the Poles for all kinds of net games. These could include tennis, badminton, volleyball, pickleball, or any other game children can invent.

Multi Net


FRE3031



The net is secured with rope clamps (DIN741) at the top using a 3mm steel cable covered with 1mm Green tubing. The cable ends are closed using an aluminum talurit, creating a fastening loop with a diameter of 10mm.



Nets and ropes are made of UV-stabilized PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.



Pole tops are molded of thermoplastic rubber (TPV) with a steel inlay. TPV is highly durable against wear and tear, and the steel inlay secures durability.

Item no. FRE3031-3417

Installation Information

Max. fall height	0'0"
Safety surfacing area	0ft ²
Total installation time	0.9
Excavation volume	0.29yd ³
Concrete volume	0.29yd ³
Footing depth (standard)	2'4"
Shipment weight	128lbs
Anchoring options	In-ground ✓

Warranty Information

HDG post	Lifetime
Spare Parts Availability	10 Years

Sustainability Data

FRE3031



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FRE3031-3417	148.94	2.55	46.09

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Sport



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Multi Net

FRE3031

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)