Tall Castle, Small


NRO426





General Product Information

Dimensions LxWxH 1290x902x920 cm
Age group 6+
Play capacity (users) 40
Color options





The magnificent Tall Castle adds a medieval dare devil touch to the play-ground, attracting children over and over. With its efficient, high paced distribution of multi-level play options, the Tall Castle allows for a wide range of ages, abilities and families to have fun in play. The ground level has a nice rest area, a retraction point for all. Three highly varied accesses lead

to the first elevated level of play, with a fireman's pole and curly climber egresses. Already on this level, loops of activity are guaranteed to train children's motor and muscle skills. Socially, the turn-taking skills are used. Taking on a challenge, children venture into the even wilder next levels, doing internal climbing routes and the external tunnel climber.

Wild slides, a taller and an even taller one, add destination and reward, causing yells of joy when children whizz down.

Tall Castle, Small

NRO426





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

Item no. NRO426-1222 Installation Information

Max. fall height 246 cm Safety surfacing area 109.0 m² Total installation time 96.4 Excavation volume 24.67 m³ Concrete volume 12.55 m³ Footing depth (standard) 120 cm Shipment weight 5,500 kgIn-ground Anchoring options



The stainless-steel activities are made of highquality stainless steel. The steel is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surfaces.



Curved and straight stainless-steel tunnel slides are supported by multiple steel rods to a center steel post. The tunnel slides are designed with perfect curve and inclination for a playful ride.



The wire frame tunnel is made of hot dip galvanised high quality steel. Corocord 16mm ropes are special 'Hercules'-type with galvanised four-stranded steel wires and a steel wire core. Each strand is tightly wrapped with PES yarn, which is melted onto each individual strand.

EN 1176 compliant

Sustainability Data

NRO426





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO426-1222	0.00	0.00	0.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Tall Castle, Small


NRO426



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW