PCE211103





Item no. PCE211103-0902

General Product Information

Dimensions LxWxH 718x544x480 cm

Age group 2 - 12
Play capacity (users) 19
Colour options



Wow! This exciting play structure is rich in options for children's play, as they climb and descend Yellowstone. The variation will encourage children to come back for play again and again. Graduated challenges and thrills are built in. The accessible stairway offers a loop of play for all with a lower and higher slide and a gently swaying hammock. Sliding develops the

child's sense of balance and its trunk stability, skills important for the ability to sit still. Slides additionally train children's turn-taking and empathy, both important social-emotional skills that are hard to teach but easy to gain in play. core strength and posture. All accesses are graded in challenge. The Jacob's lad-der takes great consideration to manage. It supports the

development of proprioception and spatial awareness, both fundamental in negotiating space securely.

PCE211103





### Climbing pole

Physical: cross coordination and muscle strength are trained. Social-Emotional: turntaking and cooperation.





### Jacob's ladder

Physical: cross coordination and spatial awareness as well as upper body muscles when hanging with arms. This is especially important due to sedentary lifestyles of today's children. Social-Emotional: turn-taking and cooperation. Cognitive: logical thinking when going from 2nd to 3rd step, changing feet.




Balcony

development.









### Somersault bar

Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. Social-Emotional: meeting, socializing and turntaking when climbing up and down via bar.



Physical: coordination and sense of balance when swaying. Social-Emotional: meeting, pushing friends gently back and forth, turn-



### Pipe ladder

Physical: cross coordination and eye-hand coordination are supported when children climb the ladder. The climbing also supports leg and arm muscles. Social-Emotional: learning about turn taking and cooperation.







Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.

PCE211103



276 cm

69.1 m<sup>2</sup>

1.22 m<sup>3</sup>

 $0.38 \text{ m}^3$ 

1,022 kg

In-ground

85 cm

31.3



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.



The ELEMENTS roofs are made of recyclable PE made from 33% post consumer recycled materials with a minimum wall thickness of 5 mm to ensure high durability in all climates around the world. The steel pipes are hot dip galvanised inside and outside for maximum durability.



Sails of commercial 95 high density PE knitted specially for sun-shade structures. The sails are treated with UV stabilizers to ensure a long lifetime. The sails are supported by a hot dip galvanised steel frame and tightened by stainless steel devices



Warranty Information	
EcoCore HDPE	Lifetime
HPL decks	15 years
Post	10 years
Spare parts guaranteed	10 years
Sun shading sails	2 vears

Item no. PCE211103-0902 Installation Information

Max. fall height

Safety surfacing area

Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight

Anchoring options



ELEMENTS decks are made of 17.8mm thick HPL supported by a unique designed aluminium frame with multiple attachment options by usage of aluminium connectors. The main posts are made of high quality pre-galvanised steel with powder coated top finish. Post tops are closed with caps of UV stabilised nylon (PA6).



The slides are available in either molded PE made from 33% recycled post-consumer materials in different colors or in full AISI304 stainless steel with a thickness of 2mm.



All steel activities has a unique surface treatment of hot dip galvanised base and powder coated top fiinsh to provide durable products with long lifetime for all environments.

Elevated activities 6	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	6	2	2
Required	3	2	2

# **Sustainability Data**

PCE211103





Cradle to Gate A1-A3	Total CO <sub>2</sub> CO <sub>2</sub> e/kg emission		Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCE211103-0902	2,133.30	2.77	37.90

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



## Verification of CO<sub>2</sub> calculation of: Play systems



Data version no. 2023-10-05

The  $\mathrm{CO_2}$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misiE

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





PCE211103



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see SIDE VIEW