Stepping Pod, 600mm

M87403



Item no. M87403-3617				
General Product Information				
Dimensions LxWxH	28x28x59 cm			
Age group	5 - 12			
Play capacity (users)	1			
Colour options	•			



The Stepping Pod, 600 mm appeals to children with the simple play message of The Earth is Lava. Placing more Stepping Pods, in various heights, adds to attraction. It invites jumping or balancing from one to the next. As an individual Stepping Pod, it can function as a sturdy seat and invite a break from play. The Stepping Pod invites less confident balancing acrobats also, thanks to its sturdy rubber surface. When jumping up on and down from the Stepping Pod, children train their sense of balance. Balance is fundamental in confidently managing the body in its surroundings. This is important for instance when navigating street traffic safely. When jumping down, children additionally builds bone density, as this is a build up in weight bearing activity on a hard surface.

Stepping Pod, 600mm

M87403







Sturdy rubber surface Physical: makes for a skid-resistant surface for jumping up and down, training muscle and motor skills and building bone density.



Stepping pod

Physical: young children learn how to alternate feet and balance. These are important for the proprioceptive and vestibular systems that help children navigate the world securely. Jumping down builds bone density and muscles.

Stepping Pod, 600mm

M87403



Stepping point is made of SBR rubber. It has good heat and abrasion resistance.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. M87403-3617				
Installation Information				
Max. fall height		59 cm		
Safety surfacing area	1	2.2 m²		
Total installation time		0.5		
Excavation volume	0).10 m³		
Concrete volume	0).03 m³		
Footing depth (standard)		80 cm		
Shipment weight		21 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
Hot dip galvanised steel	L	ifetime		
SBR rubber	2	2 years		
Spare parts guaranteed	10) years		

KON

Let's pla

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Sustainability Data

Cradle to Gate A1-A3

M87403-3617

M87403



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

46.33

CO2e/kg

kg CO₂e/kg

2.25

Recycled


materials

%

25.11




M87403





* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 02/05/2025