# **Jump Pod Set**


FSW221







A set of three jump pods in the height of 10cm, 30 cm and 60 cm. Through combining different heights and arranging them with varying distance to have multiple difficulty levels, they are a great addition to any obstacle course. The material of the pods is carefully chosen to provide a good grip, even when it is wet.







See KOMPAN Fit app for more



## **Jump Pod Set**

FSW221







Stepping point is made of SBR rubber. It has good heat and abrasion resistance.

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Item no. FSW22100-0800			
Installation Information			
Max. fall height		60 cm	
Safety surfacing area		9.5 m²	
Total installation time		1.7	
Excavation volume		0.32 m³	
Concrete volume		0.09 m³	
Footing depth (standard)		86 cm	
Shipment weight		57 kg	
Anchoring options	In-groun	d ✓	
	Surface	~	
Warranty Information			
Hot dip galvanised steel		Lifetime	
SBR rubber		2 years	



## **Sustainability Data**

FSW221



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FSW22100-0800	125.27	2.22	22.70

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Fitness



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  ${\rm CO_2}$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000


# **Jump Pod Set**






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see SIDE VIEW