NRO526






Item no. NRO526-1021

General Product Information

Dimensions LxWxH 180x195x248 cm
Age group 1+
Play capacity (users) 5
Colour options



This Oasis sand hut with two tables is a great play motivator that will make many children absorbed in play again and again. It can be played from all sides and allows for interaction from the inside-out and vice versa. This makes it a universally designed unit that can be used by all ages and abilities. The two desks and the sand scoop are great for exchanging, or merely

for storing stuff or supporting sand play. The theme of the house will inspire dramatic play. Dramatic play is great language stimulation and develops children's cognitive skills. The social nature of the play house will accommodate bigger groups of children playing. The layout allows for eye contact throughout the unit, supporting communication

and cooperation, both fundamental for socialemotional development of children.





NRO526





Sand shovel

Physical: develops dexterity and upper body muscles. **Cognitive:** understanding of object permanence, emptying and filling scoop.











Splash basin with plug
Social-Emotional: meeting point for
cooperation and sharing. Develops turn-taking
and cooperation. Cognitive: logical thinking
and understanding of cause and effect are
trained when children stop or let go of water
from the basin. Creative: the water plug
makes changing water levels possible, which
adds to logical thinking skills.



Side desk

Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides create a social scenario that supports communication and cooperation.

NRO526





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.



Installation Information			
Max. fall height	0 cn		
Safety surfacing area	17.5 m		
Total installation time	7.2 hour		
Excavation volume	0.45 m		
Concrete volume	0.00 m		
Footing depth (standard)	100 cn		
Shipment weight	411 k		
Anchoring options	In-ground 🕶		

Item no. NRO526-1021

Warranty Information		
Robinia wood	15 years	
Ropes & nets	10 years	
Spare parts guaranteed	10 years	
Stainless steel components	Lifetime	
Stainless steel components	Lifetime	



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



3 / 06/28/2025 Data is subject to change without prior notice.

Sustainability Data

NRO526





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO526-1021	156.74	0.47	3.98


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


NRO526



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW